

# Procédures interbase

## Table DELETERHCONTRAT

```
CREATE TABLE DELETERHCONTRAT (  
    RECID DOM_INTEGER,  
    RECDATE DOM_DATE,  
    RECUSER DOM_CODE,  
    RECPERID DOM_INTEGER,  
    RECCTRID DOM_INTEGER,  
    RECMATRICULE DOM_INTEGER,  
    RECNUMFULL DOM_VCHAR10 COLLATE NONE);
```

## Trigger

```
CREATE TRIGGER RHCONTRAT_AD FOR RHCONTRAT ACTIVE  
AFTER DELETE POSITION 1  
AS  
BEGIN  
    INSERT INTO DELETERHCONTRAT (  
        RECID, RECDATE, RECUSER, RECPERID, RECMATRICULE, RECCTRID, RECNUMFULL)  
        VALUES (0, "now", '', old.ctrperid, old.ctrpermatricule, old.ctrtrid, old.ctrnumfull);  
END
```

## Exception

```
CREATE EXCEPTION SUPCONTRAT 'Suppression impossible : Virement existant'
```

## Trigger

```
CREATE TRIGGER RHCONTRAT_BD FOR RHCONTRAT  
BEFORE DELETE POSITION 0  
AS  
BEGIN  
    if (exists(  

```

```
select * from rhibanitem where itbidctr=old.ctrid      ))  
then exception supcontrat;
```

END

---

Revision #2

Created 2 April 2024 21:02:59 by Valéry HUMEZ

Updated 2 April 2024 21:07:06 by Valéry HUMEZ